## AMENDED **APPLICATION FOR PERMIT** TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Dat	te of filing in State Engineer's Office
	turned to applicant for correction
	DEC 1.7.1987
	rrected application filed
Ma	p filed
	The applicant CORTEZ GOLD MINES
	Street and No. or P.O. Box No. CORTEZ  City or Town
	Street and No. or P.O. Box No.  NEVADA 89821  State and Zip Code No.  City or Town  NEVADA 89821  State and Zip Code No.
	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
cop	artnership or association, give names of members.) A joint venture consisting of Placer U.S.
	Inc., Kennecott, and Vernon F. Taylor, Jr.
1.	The source of the proposed appropriation is underground source—well no. 31  Name of stream, lake, spring, underground or other source
	Name of stream, lake, spring, underground or other source
2	The amount of water applied for in
۷.	The amount of water applied for is .111 cfs One second-foot equals 448.83 gals. per min.  Second-feet
	(a) If stored in reservoir give number of acre-feet
3.	The water to be used for pollution control - mining    Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4.	If use is for:
	(a) Irrigation, state number of acres to be irrigated
	(b) Stockwater, state number and kinds of animals to be watered
	(c) Other use (describe fully under "No. 12. Remarks")
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5.	The water is to be diverted from its source at the following point the SE'4 of SW'4 section 12, T. 27  Describe as being within a 40-acre subdivision of public
	N., R.47 E., MDB & M (unsurveyed) whence the SE corner of section 18, T. 27 N.,
	survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  R. 48 E., MDB & M bears S. 56° 43' 09" E., '9,809.90 feet distant.
_	
6.	Place of use SE <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub> , SW <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub> , E <sup>1</sup> / <sub>2</sub> SW <sup>1</sup> / <sub>4</sub> , W <sup>1</sup> / <sub>5</sub> SE <sup>1</sup> / <sub>4</sub> of Section 13, NE <sup>1</sup> / <sub>4</sub> of Section 24,  Describe by legal subdivision. If on unsurveyed land, it should be so stated.
	T. 27 N., R. 47 E., MDB & M (unsurveyed)
7.	Use will begin about January 1st and end about December 31st, of each year.  Month and Day Month and Day
	. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.) installation will pump groundwater to mill  State manner in which water is to be diverted, i.e. diversion structure, ditches an
	tailings impoundment pond.
0	flumes, drilled well with pump and motor, etc. \\ Fixtimated cost of works \\ \$10,000

9. Estimated cost of works

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Englarer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  O.111	10. Estimated time required to construct w	orkssystem is presently installed on site.  If well completed, describe works.		
This well will be used to pump potentially contaminated groundwater to a tailful funpoundment pond. This is to control the migration of the groundwater from the tailings impoundment area. The groundwater will be pumped from this well solel for pollution control purposes.  Ny s/ Bendel W. Banghart CORTEZ COLD MINES CORTEZ COLD MINES CORTEZ, NV 89821  This is certify that have examined the foregoing application, and do hereby grant the same, subject to the follows, imitations and conditions:  APPROVAL OF STATE ENGINEER  This is a certify that have examined the foregoing application, and do hereby grant the same, subject to the follows, imitations and conditions:  APPROVAL OF STATE ENGINEER  This is a certify that have examined the foregoing application, and do hereby grant the same, subject to the follows initiations and conditions:  APPROVAL OF STATE ENGINEER  This is a certify that have examined the foregoing application, and do hereby grant the same, subject to the follows initiations and conditions:  APPROVAL OF STATE ENGINEER  This is a certify that have examined the foregoing application, and do hereby grant the same, subject to the follows initiations and conditions:  The actual property and the same and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed and fore and use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NNS 534.030. The State retains the right to regulate the use of the water herein granted at any				
This well will be used to pump potentially contaminated groundwater to a tailing impoundment pond. This is to control the migration of the groundwater from the tailings impoundment area. The groundwater will be pumped from this well solel for pollution control purposes.  By s/ Daniel W. Banghart CORTEZ GOLD MINES CORTEZ, NV 89821  **CORTEZ, NV 89821  **CORTEZ, NV 89821  **This is to certify that have examined the foregoing application, and do hereby grant the same, subject to the follows, imitations and conditions:  This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right botained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing a valve must be installed and maintained to prevent water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filled. This source is located within an area designated by the State Engineer, pursuant to NBNS 534.030. The State retains the right to regulate the use of the water hermin granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  (CONTINUED ON PAGE 2)  The separation of the permit does not be the major of permittee the right of ingress and egress on public, private or corporate lands.  (CONTINUED ON PAGE 2)  The amount of water to beneficial use shall be filed on or before.  December 16, 1989  The proof of completion of water to beneficial use shall be filed on or before.  December 16, 1989	11. Estimated time required to complete th	e application of water to beneficial use		
Impoundment pond. This is to control the migration of the groundwater from the tailings impoundment area. The groundwater will be pumped from this well solel for pollution control purposes.    By		on or stock watering, state number and type of units to be served or annual		
By S/Daniel W. Baughart CORTEZ GOLD MINES CORTEZ GOLD MINES CORTEZ, NV 89821  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the follown imitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed and maintained in the discharge pipeline near the point of Siversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 26.18  million qallons annually.  Vork must be prosecuted with reasonable diligence and be completed on or before.  November 16, 1989  This permit does not beneficial use shall be filed on or before.  Novembe	This well will be used to	pump potentially contaminated groundwater to a tailing		
By S/ Daniel W. Benghart CORTEZ GOLD MINES CORTEZ GOLD MINES CORTEZ GOLD MINES CORTEZ, NV 89821  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the follown imitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right botained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This will shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NNS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  0.111	impoundment pond. This is	to control the migration of the groundwater from the		
By S/ Daniel W. Benghart CORTEZ GOLD MINES CORTEZ GOLD MINES CORTEZ GOLD MINES CORTEZ, NV 89821  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the follown imitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right botained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This will shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NNS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  0.111	tailings impoundment area.	The groundwater will be pumped from this well solely		
CORTEZ, NV 89821  Compared_Pm/se				
CORTEZ, NV 89821  Compared_Pm/se		By. s/ Daniel W. Banghart		
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the follown imitations and conditions:  This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that his right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waster. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  0.111 cubic feet per second. but not to exceed 26.18  million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  November 16, 1989 proof of completion of water to beneficial use shall be filed on or before.  November 16, 1991 proof of the application of water to beneficial use shall be filed on or before.  November 16, 1991 proof of the application of water to beneficial use shall be filed on or before.  November 16, 1991 proof of beneficial use shall be filed on or before.  November 16, 1991 proof of beneficial use shall be filed on o	Comment pm/se pm/s	CORTEZ GOLD MINES		
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the follown imitations and conditions:  This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge appletion near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.303. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not be amount of water to beneficial use shall be filed on or before.  November 16, 1989  Those of completion of work shall be filed on or before.  November 16, 1989  The proof of completion of work shall be filed on or before.  November 16, 1989  The proof of beneficial use shall be filed on or before.  November 16, 1989  The proof of beneficial use shall be filed on or before.  November 16, 1989  The proof of beneficial use shall be filed on or before.  November 16, 1989  The proof of beneficial use filed.  November 16, 1989  The proof of beneficial use filed.  November 16, 1981	Compared Parise Paris	GOMIEZ, NV 09021		
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the follown imitations and conditions:  This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  O.111	Protested			
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the follown imitations and conditions:  This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  O.111				
imitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  O.111	API	PROVAL OF STATE ENGINEER		
imitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  O.111	This is to certify that I have examined th	ne foregoing application, and do hereby grant the same, subject to the following		
the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  0.111	limitations and conditions:	•		
final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  0.111  cubic feet per second , but not to exceed 26.18  million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  December 16, 1989  Application of water to beneficial use shall be filed on or before.  November 16, 1991  Application of proof of beneficial use shall be filed on or before.  November 16, 1991  The state Engineer of Nevada, have hereunto set my hand and the seal of my office, this.  16th day of November  ADDIANN BY APPLEANT  FEH & 1994  DRAWN BY APPLEANT  FEH & 1994				
of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  O.111 cubic feet per second. but not to exceed 26.18  million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  December 16, 1989  Proof of completion of work shall be filed on or before.  December 16, 1989  The proof of the application of water to beneficial use shall be filed on or before.  December 16, 1991  The proof of the application of water to beneficial use shall be filed on or before.  December 16, 1991  The proof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  The proof of beneficial use filed.  Office, this.  16th day of November  A.D. 19 88  Saue Engineer  A.D. 19 88  Saue Engineer  A.D. 19 88  Saue Engineer  A.D. 19 89  Saue Engineer				
right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.  0.111				
the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.  O.111				
A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  0.111				
near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filled. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  0.111  cubic feet per second. but not to exceed 26.18  million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  November 16, 1989  Proof of completion of work shall be filed on or before.  December 16, 1989  Application of water to beneficial use shall be filed on or before.  November 16, 1991  The food of the application of water to beneficial use shall be filed on or before.  November 16, 1991  The food of beneficial use shall be filed on or before.  November 16, 1991  The food of beneficial use shall be filed on or before.  November 16, 1991  The food of beneficial use filed.  November 16, 1991  The food of beneficial use filed.  November 16, 1991  The filed of the filed on or before.  Office, this 16th day of November  A.D. 19 88  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16th day of November  Office, this 16th day of November				
place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.  O.111				
of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  O.111				
source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  O.111  cubic feet per second. but not to exceed 26.18  million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  November 16, 1989  Application of water to beneficial use shall be made on or before.  November 16, 1991  Application of water to beneficial use shall be filed on or before.  December 16, 1991  Application of work filed  JAN 11 1990  IN TESTIMONY WHEREOF, I.  PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this.  16th day of November  ADDIANN BY APPLICART FEB 2 1994  State Engineer  State Engineer  State Engineer  State Engineer				
NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.  O.111				
This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  O.111 cubic feet per second, but not to exceed 26.18  million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  November 16, 1989  Proof of completion of water to beneficial use shall be made on or before.  November 16, 1991  Proof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  Troof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  The permit of proof of beneficial use shall be filed on or before.  November 16, 1991  The permit of proof of beneficial use shall be filed on or before.  November 16, 1991  The permit of proof of beneficial use shall be filed on or before.  November 16, 1991  The permit of proof of beneficial use shall be filed on or before.  November 16, 1991  The permit of proof of beneficial use shall be filed on or before.  November 16, 1991  The permit of proof of beneficial use shall be filed on or before.  November 16, 1991  The permit of proof of beneficial use shall be filed on or before.  November 16, 1991  The permit of proof of beneficial use shall be filed on or before.  November 16, 1991  The permit of proof of beneficial use shall be filed on or before.  November 16, 1991  The permit of proof of beneficial use shall be filed on or before.  November 16, 1991  The permit of proof of beneficial use shall be filed on or before.  November 16, 1991  The permit of proof of beneficial use shall be filed on or before.  November 16, 1991  The permit of proof of beneficial use shall be filed on or before.  November 16, 1991  The permit of proof of beneficial use shall be filed on or before.  November 16, 1992  The permit of proof of beneficial use shall be filed on or before.  November 16, 19	NRS 534.030. The State	retains the right to regulate the use of the water		
con public, private or corporate lands.  (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  O.111  cubic feet per second., but not to exceed 26.18  million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  November 16, 1989  Proof of completion of work shall be filed on or before.  December 16, 1991  Proof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  Proof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  Proof of the application of water to beneficial use shall be filed on or before.  N/A  IN TESTIMONY WHEREOF, I  PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this. 16th day of November  NOVEMBER  A.D. 19  State Engineer  A.D. 19  State Engineer  PERB 2. 1994				
The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.111 cubic feet per second, but not to exceed 26.18 million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  November 16, 1989  Application of water to beneficial use shall be made on or before.  November 16, 1991  Toof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  Toof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  Toof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  Toof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  Toof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  Toof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  Toof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  Toof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  Toof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  Toof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  Toof of the application of water to beneficial use shall be filed on or before.  November 16, 1991  Toof of the application of water to beneficial use shall be filed on or before.  November 16, 1992  November 16, 1993  Toof of the application of water to beneficial use shall be filed on or before.  November 16, 1993  November				
million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  Proof of completion of work shall be filed on or before.  Application of water to beneficial use shall be made on or before.  Proof of the application of water to beneficial use shall be filed on or before.  Movember 16, 1989  Proof of the application of water to beneficial use shall be filed on or before.  Movember 16, 1991  Proof of the application of water to beneficial use shall be filed on or before.  Movember 16, 1991  Proof of the application of water to beneficial use shall be filed on or before.  Movember 16, 1991  IN TESTIMONY WHEREOF, I.  PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16th day of November  A.D. 19  State Engineer  November 16, 1989  N/A  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16th day of November  State Engineer		race lands.		
million gallons annually.  Work must be prosecuted with reasonable diligence and be completed on or before.  Proof of completion of work shall be filed on or before.  Application of water to beneficial use shall be made on or before.  Proof of the application of water to beneficial use shall be filed on or before.  Movember 16, 1989  Proof of the application of water to beneficial use shall be filed on or before.  Movember 16, 1991  Proof of the application of water to beneficial use shall be filed on or before.  Movember 16, 1991  Proof of the application of water to beneficial use shall be filed on or before.  Movember 16, 1991  IN TESTIMONY WHEREOF, I.  PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16th day of November  A.D. 19  State Engineer  November 16, 1989  N/A  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16th day of November  State Engineer				
work must be prosecuted with reasonable diligence and be completed on or before.  November 16, 1989  Application of work shall be filed on or before.  December 16, 1989  Application of water to beneficial use shall be made on or before.  November 16, 1991  Proof of the application of water to beneficial use shall be filed on or before.  December 16, 1991  Application of water to beneficial use shall be filed on or before.  November 16, 1991  December 16, 1991  In TESTIMONY WHEREOF, I.  PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16th day of November  A.D. 19, 88  DRAWN BY APPLICANT FEB × 1994  State Engineer		**		
November 16, 1989  Proof of completion of work shall be filed on or before		·		
Application of work shall be filed on or before				
Application of water to beneficial use shall be made on or before				
Application of water to beneficial use shall be filed on or before				
In Testimony whereof, I. Peter G. Morros State Engineer of Nevada, have hereunto set my hand and the seal of my foof of beneficial use filed.  State Engineer of Nevada, have hereunto set my hand and the seal of my foof of beneficial use filed.  State Engineer of Nevada, have hereunto set my hand and the seal of my filed.  A.D. 19 88  State Engineer  State Engineer				
Completion of work filed.  IN TESTIMONY WHEREOF, I. PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the seal of my  office, this 16th day of November  A.D. 19 88  State Engineer  OFFICIARY FEB 22 1994				
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16th day of November  OFFICIAL STANDON NOVEMBER  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16th day of November  A.D. 19 88  State Engineer				
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16th day of November    State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16th day of November    A.D. 19 88	Completion of work filed	IN TESTIMONY WHEREOF, I PETER G. MORROS		
office, this 16th day of November  A.D. 19 88  Certificate No. Issued  DRAWN BY APPLICANT FEB 2 1994  State Engineer		State Engineer of Nevada, have hereunto set my hand and the seal of my		
ertificate No	Proof of beneficial use filed			
DRAWN BY APPLICANT FEB & 1994  State Engineer	Cultural map filed	,		
18 spg (nd. ) A 2	Certificate NoIssued			
	INDAWN BY ADDITION FER 22 199	X X X Y Y Z		
that are the world that the last of the la	INUITABLE DI VILVINONIAL TEN 10 10 100 0	State Engineer		
ENGINEER	16.50 (A) 2			

## (PERMIT TERMS CONTINUED)

The total combined duty of water under Permits 24663, Certificate 7292; 24664, Certificate 7293; 46224, 46225, 51247, 51248, 51249, 51250, 51251, 51252, 51253, 51254 and 51255 shall not exceed 306.7 million gallons annually.

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

